

SUPPLEMENT TO



No. 7]

NEW DELHI, SATURDAY, FEBRUARY 12, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th January, 1955

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)												Bihar—contd.										
Ajmer												(Estd. mid-year pop. 41,811 thousands.)										
TOTAL	6	5	Total for w/e 8-1-55	..	6	4	18	5	Total for w/e 1-1-55	..	4	4	36	11
(Estd. mid-year pop. 737 thousands.)																						
Total for w/e 8-1-55	13	8	Total for w/e 1-1-55	..	4	4	36	11	Total for w/e 1-1-55	..	4	4	36	11
Total for w/e 1-1-55	7	6	7-yearly mean for the week	99	16	5	4
7-yearly mean for the week	3	2
Andhra												Bombay										
"N.R."												Greater Bombay										
Assam												Ahmedabad										
TOTAL	Kaira
(Estd. mid-year pop. 9,795 thousands.)									Broach
Total for w/e 8-1-55	3	Panch Mahals
Total for w/e 1-1-55	Surat
7-yearly mean for the week	2	1	Thana
Bhopal												Satara South										
"N.R."												Ahmednagar										
Bihar												East Khandesh										
Patna	15	5	West Khandesh													
Gaya	10	2	Amravati													
Shahabad	6	2	Nasik													
Saran	Poona													
Champanar	Satara North													
Muzaffarpur	Sholapur													
Darbhanga	Sabarkantha													
Monghyr	Belgaum													
Bhagalpur	Bijapur													
Saharsa	Dharwar													
Purnea	Kanara													
Santal Parganas	Ratnagiri													
Hazaribagh	Kolaba													
Ranchi	Baroda													
Manbhum	4	3	..	Navsari													
Palamau	Dangs													
Singhbhum	1	Mehsana													
Total	36	12	Banaskantha													
									Total													

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil. N.R.—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th January, 1955—contd.

	CHOLERA SMALLPOX PLAGUE							CHOLERA SMALLPOX PLAGUE							
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.		
Bombay—contd.								Madhya Pradesh—contd.							
(Estd. mid-year pop. 38,733 thousands.)								Raigarh		
Total for w/e 8-1-55	175	19	Amravati		
Total for w/e 1-1-55	140	17	Yeotmal	2	..		
7-yearly mean for the week	.	.	14	6	272	54	3	Akola		
								Buldana	2	..		
									TOTAL	.	..	205	27	..	
Coorg								(Estd. mid-year pop. 22,063 thousands.)							
TOTAL	Total for w/e 8-1-55	.	..	164	34	..		
(Estd. mid-year pop. 255 thousands.)								Total for w/e 1-1-55	.	..	223	19	..		
Total for w/e 8-1-55	7-yearly mean for the week	.	8	2	91	19	242	
Total for w/e 1-1-55	1							47	
7-yearly mean for the week								
Delhi								Madras							
Delhi City	4	Madras City	4	1	..	
New Delhi	Chingleput	
Delhi Shadara	2	1	..	North Arcot	.	.	5	2	
Delhi Notified Area	Salem	
New Delhi Cantt.	Coimbatore	.	.	14	2	
West Delhi N. A. C.	South Arcot	2	
Rural Circles	Tanjore	.	.	17	11	
							..	Tiruchirappalli	.	.	29	17	1	..	
TOTAL	6	1	Mathurai	.	.	4	5	10	5	
(Estd. mid-year pop. 1,744 thousands.)							..	Ramnathapuram	7	4	..	
Total for w/e 8-1-55	2	Tirunelveli	
Total for w/e 1-1-55	Nilgiris	
7-yearly mean for the week	8	3	..	Malabar	33	17	..	
							..	South Kanara	
									TOTAL	69	37	57	27
Himachal Pradesh								(Estd. mid-year pop. 60,031 thousands.)*							
"N.R."								Total for w/e 8-1-55	.	70	30	83	21
								Total for w/e 1-1-55	.	73	27	135	46
								7-yearly mean for the week	.	1,346	734	115	24
Madhya Pradesh															
Nagpur	Manipur							
Wardha	TOTAL	
Chanda	(Estd. mid-year pop. 608 thousands.)							
Chhindwara	4	1	..	Total for w/e 8-1-55	
Betul	Total for w/e 1-1-55	
Bhandara	1								
Jabalpur	12								
Sagar	22	2	..	Orissa							
Mandla	Cuttack	1	
Hoshangabad	125	21	..	Balasore	.	..	1	1	7
Nimar	17	1	..	Puri	13	
Balaghat	2	Sambalpur	14	
Raipur	15	2	..	Bandh	
Bilaspur	Ganjam	
Durg	3	Koraput	3	
Bastar	Keonjhar	
Surguja	Dhenkanal	2	

Explanation of Symbols used : C.—Cases ; D.—Deaths; .. = Nil ; N.R. = Information not received; * Including Andhra State.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th January, 1955—contd.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Orissa—contd.							Uttar Pradesh—contd.						
Bolangir	Mauvpuri
Patna	Etah
Sundergarh	Bareilly	24	8
Kalabandi	.	.	4	2	22	..	Bijnor
Mayurbhanj	Budaun
TOTAL	.	.	5	3	62	..	Moradabad	1	..
(Estd. mid-year pop. 15,024 thousands.)							Shahjahanpur
Total for w/e 8-1-55	.	5	1	39	3	..	Pilibhit	5	2
Total for w/e 1-1-55	31	1	..	Parrukhabad	9	1
7-yearly mean for the week	.	.	75	45	118	18	Etawah
Punjab (I)							Kanpur	2	..
Hissar	1	..	Fatehpur	1	..
Rohtak	Allahabad	2	..
Gurgaon	Jhansi	2	2
Karnal	Jalaun	10	6
Ambala	2	Hamispur
Simla	Banda
Kangra	Banaras
Hoshiarpur	Mirzapur
Jullundur	6	..	Jaunpur
Ludhiana	4	..	Ghazipur
Ferozepur	Ballia
Amritsar	Gorakhpur
Gurdaspur	Deoria
TOTAL	13	2	..	Basti
(Estd. mid-year pop. 12,658 thousands.)							Azamgarh
Total for w/e 8-1-55	2	1	..	Nainital
Total for w/e 1-1-55	22	8	..	Almora
7-yearly mean for the week	33	11	..	Garhwal
Tripura							Lucknow	25	9
TOTAL	1	Unao	6	..
(Estd. mid-year pop. 709 thousands.)							Rae Bareilli	1	..
Total for w/e 8-1-55	Sitapur
Total for w/e 1-1-55	Hardoi	17	12
Uttar Pradesh							Kheri	6	5
Dehra Dun	Faizabad
Saharanpur	2	1	..	Gonda
Muzaffaranagar	9	6	..	Bahraich
Meerut	Sultanpur
Bulandshahr	7	3	..	Pratapgarh
Aligarh	Bara Banki
Mathura	Rampur	1	..
Agra	1	TOTAL	130	56	..
							(Estd. mid-year pop. 66,174 thousands.)						
							Total for w/e 8-1-54	130	59	..
							Total for w/e 1-1-54	111	41	1
							7-yearly mean for the week	182	39	96
													37

Explanation of Symbols used : C.—Cases; D.—Deaths ; .. = N/A.

	CHOLERA SMALLPOX PLAGUE							CHOLERA SMALLPOX PLAGUE					
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Vindhya Pradesh								STATES PART (B)					
TOTAL	..	—	29		Hyderabad					
(Estd. mid-year pop. 3,675 thousands.)								Aurangabad
Total for w/e 8-1-55	36	1	Parbhani
Total for w/e 1-1-55	10	6	Bhir
West Bengal								Gulberga
Burdwan	23	15	2	Raichur
Birbhum	2	Bidar
Bankura	2	1	Osmanabad
Midnapur	2	1	..	Warrangal
Hooghly	3	1	..	Karimnagar	9	2
Howrah	3	2	Adilabad
24-Parganas	2	1	5	1	..	Nizamabad
Calcutta	2	..	2	2	..	Medak
Nadia	5	2	Nalgonda
Murshidabad	Mahbubnagar	4	..
Malda	Hyderabad
West Dinajpur	3	Nanded
Jalpaiguri	TOTAL	14
Darjeeling	Jammu and Kashmir					
Cooch Behar	TOTAL
Chandernagore	Madhya Bharat					
TOTAL	..	37	21	19	5	"N.R."					
(Estd. mid-year pop. 26,065 thousands.)								Mysore					
Total for w/e 8-1-55	..	67	36	24	11	Bangalore
Total for w/e 1-1-55	..	27	12	29	10	Chitaldrug	1	..
7-yearly mean for the week	187	96	154	56	..	Hassan	6	..
Grand Total for States Parts (A) & (C) (excluding Andhra, Bhopal and Himachal Pradesh)	..	112	62	775	162	Chikmagalur	16	1	..
Corresponding (Estd. mid-year pop. 3,00,082 thousands.)†								Kolar	5	3	53
Corresponding Total for w/e 8-1-54	..	148	171	689	162	Mandyā	76	48	..
Corresponding Total for w/e 1-1-54	..	104	43	734	165	1	..	Mysore	48	20	..
Corresponding 7-yearly mean for the week	..	1,650	883	1,077	243	346	89	Shimoga	7	6	..
								Tumkur
								Bellary	3	3	..
								TOTAL	155	81	60
											16	7	2

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; N.R.—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th January, 1955—concl.

CHOLERA SMALLPOX PLAGUE						CHOLERA SMALLPOX PLAGUE					
	C.	D.	C.	D.	C.		C.	D.	C.	D.	
Patiala & East Punjab States Union						Madhya Bharat w/e 8-1-55					
TOTAL	33	5	..	TOTAL	.	..	52	16
Rajasthan						Rajasthan w/e 1-1-55					
"N. R."						TOTAL	.	..	204	60	..
Saurashtra						TYPUS					
"N. R."						Place	Period	Cases			
Travancore-Cochin						Greater Bombay	17-1-55	1 (Flea-borne)			
TOTAL	1	1	..						
Grand total for States Part (B)	155	81	108	25	7	2					
Grand total for States Parts (A), (B) & (C)	267	143	883	194	7	2					
ARREAR INFORMATION											
Jammu and Kashmir w/e 8-1-55											
TOTAL	Hyderabad	w/e 22-1-55	1	1	

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

NEW DELHI-2 (INDIA); }
The 7th February, 1955.]

K. MITRA,
for Registrar General, India.

POLIOMYELITIS

(Information based on patients treated in hospitals in important towns).

Places	Period	Cases	Death
Madras State	1-15 Nov. 1954	11	..
"	16-30 Nov. 1954	7	..
Greater Bombay	1-15 Dec. 1954	6	..
"	16-31 Dec. 1954	3	2
"	1-15 Jan. 1955	2	..
Hyderabad	w/e 22-1-55	1	1

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000 and two joint holders upto Rs. 50,000/-.

Deposits accepted in multiples of Rs. 100 upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum, free of income-tax and super-tax and which is not taken into account in assessing the total taxable income, is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi and Madras and Branches of the Imperial Bank of India at other places transacting treasury business. Deposits are also accepted at all Treasuries in Part 'A' States at places where the Imperial Bank does not transact treasury business and at all Sub-Treasuries in Part 'A' States; also at Treasuries at Bhuj (Kutch), Imphal (Manipur) and Coorg-Mercara (Coorg).

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

For further information and/or rules governing these investments please write to the Provincial National Savings Officer of your State or the National Savings Commissioner, Gorton Castle, Simla-3.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th January, 1955.

Town	Mid-year Popn. Est. (000)	Deaths from :—															
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.				
STATES—(Parts A and C)																	
Ajmer																	
Andhra																	
Adoni†	36	13	18·8	2	..	2	..	6	8·7	..
Anantapur													
Anakapalli†													
Bhimavaram	35	7	10·4	3	4·5	..
Chirala	42	24	29·7	2	1	1	..	6	7·4	..
Chittoor	44	40	47·3	1	..	3	..	14	16·5	2
Cuddapah†													
Eluru	97	30	16·1	5	..	2	1	21	11·3	3
Gudivada	35	15	22·3	4	2	10	14·9	1
Guntur†													
Guntakal†													
Kakinada	111	52	24·4	7	..	3	..	30	14·1	10
Kurnool†													
Mesulipatnam	86	38	23·0	2	13	7·9	..
Nandyal	37	17	23·9	2	..	2	..	6	8·4	2
Nellore	92	68	38·4	3	2	3	1	31	17·5	6
Proddatur	41	21	26·6	1	..	1	..	10	12·7	3
Rajahmundry	119	43	18·8	1	16	7·0	2
Tenali	65	35	28·0	3	..	1	..	16	12·8	3
Vijayawada†													
Visakhapatnam†													
Vizianagaram	74	35	24·6	2	..	2	1	27	19·0	4
TOTAL	•	•	•	•	914	438	24·9	35	5	20	3	209	11·9	36
Assam																	
Shillong †																	
Gauhati	50	22	22·9	10	20	20·8	4
Dibrugarh	44	4	4·7
Silchar	42	3	3·7	1
TOTAL	•	•	•	•	136	26	9·9	10	23	8·8	5
Bhopal } Bihar } Bombay }																	
"N.R."																	
Delhi State																	
Delhi City	1,085	537	27·5	42	2	57	1	176	8·4	42
New Delhi	335	251	36·8	2	1	9	..	88	12·9	18
N.A.C. Civil Station, Delhi	111	67	31·4	1	1	6	1	15	7·0	6
Delhi Cantt.	49	32	33·9	1	..	2	2·1	..
Delhi Shahdara	51	34	34·6	9	..	2	..	12	12·2	7
TOTAL	•	•	•	•	1,651	957	30·1	54	4	75	2	293	9·2	73
Madhya Pradesh																	
Achalpur	38	34	46·5	3	..	3	..	12	16·4	3
Akola	101	43	22·1	4	2	3	..	21	10·8	3
Amravati	98	34	18·0	4	2	2	1	24	12·7	4
Bilaspur	40	32	41·6	2	..	1	..	13	16·9	7
Burhanpur	77	56	37·8	..	1	..	8	10	19	12·8	..
Chanda†													
Chhindwara	30	8	13·9	3	6	10·4	3
Hinganghat	35	23	34·2	1	11	16·3	2
Kamptee	35	11	16·3	6	8·9	..
Gondia	44	32	37·8	5	..	2	2	10	11·8	1
Khandwa	38	20	17·9	2	8	7·2	..
Wardha	45	23	26·6	2	10	11·5	1
Nagpur	513	123	12·5	11	1	12	5	45	4·6	..
Raipur†													
Yeotmal†													
TOTAL	•	•	•	•	1,114	439	20·5	..	1	..	45	15	23	9	185	8·6	24

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); N.R.—Information not received; ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th January, 1955—contd.

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.	Total	D.R.*	I.D.
Madras													
Ambar	44	30	35·5	1	3	3	..	12	14·2	5
Aruppukottai	55	37·8	7	3	20	18·9	4
Bodinayakanur.	39	10	13·3	3	4·0	..
Cannanore	46	26	29·3	1	..	2	..	8	9·0	..
Chidambaram	38	9	12·3	1	1	..	13	17·8	1
Coimbatore	227	181	41·5	5	8	21	1	92	21·1	24
Cuddalore	73	72	51·2	2	1	5	..	27	19·2	4
Dindigul	88	40	23·6	1	2	15	8·7	8
Erode	65	34	27·2	1	2	3	..	11	8·8	7
Gobichettipalayam	37	9	12·6	1	2	2·8	1
Gudiyattam	51	14	14·3	3	3	1	..	16	16·3	2
Kancheepuram	90	45	26·0	1	1	9	1	21	12·1	9
Karaikudi	43	31	37·5	2	1	3	..	17	20·6	7
Karur	48	33	35·8	1	1	..	10	10·8	4
Kozhikode	173	122	36·7	7	5	10	2	67	20·1	9
Kumbakonam	102	31	15·8	2	4	1	..	21	10·7	3
Madras	1,650	910	28·7	..	2	..	63	95	175	3	634	20·0	160
Mangalore	133	28	10·9	5	..	17	6·6	3
Mathurai	415	313	39·2	..	3	..	15	16	42	..	167	20·9	33
Mayuram	48	8	8·7	2	12	13·0	2
Melapalayam	40	18	23·4	1	1	7	9·1	1
Nagapattinam	60	60	52·0	2	1	2	1	22	19·1	4
Ottacamund	43	41	49·6	2	..	8	9·7	5
Palani	39	21	28·0	3	2	..	12	16·0	4
Palayamkottai	44	42	49·6	1	2	13	15·4	6
Palghat	76	48	32·8	1	1	4	..	20	13·7	4
Periyakulam	33	17	26·8	2	2	1	13	20·5	3
Pollachi	49	27	28·7	5	2	..	27	28·7	4
Pudukkottai	49	18	19·1	1	1	6	6·4	1
Rajapalayam	67	27	21·0	1	4	7	..	19	14·7	4
Salem	234	147	32·7	4	5	9	..	59	13·1	2
Srirangam	41	35	44·4	1	1	1	..	4	5·1	..
Srivilliputtur	43	21	25·4	1	1	1	..	10	12·1	4
Tanjore	115	80	36·2	1	4	1	..	48	21·7	10
Telllicherry	42	27	33·4	1	5	6·2	1
Tiruchirapalli	245	106	22·5	2	5	13	..	67	14·2	16
Tirunelveli	79	35	23·0	2	5	..	24	15·8	9
Tiruppur	61	46	39·2	1	5	..	22	18·8	7
Tiruvannamalai	44	12	14·2	1	1	..	10	11·8	2
Tuticorin	109	51	24·3	8	9	..	41	19·6	12
Vaniyanbadi	42	30	37·1	1	3	1	..	15	18·6	5
Vellore	121	100	43·0	1	5	6	1	52	22·3	12
Villupuram	39	33	44·0	1	..	7	9·3	3
Virudunagar	52	39	39·0	4	3	..	14	14·0	4
TOTAL	5,232	3,067	30·5	..	5	..	129	207	360	12	1,710	17·0	409

Orissa

Berhampur	70	25	18·6	3	..	2	..	10	7·4	3
Cuttack	114	103	47·0	5	4	3	..	47	21·4	6
Puri	53	13	12·8	12	4	3	..	35	34·3	10
TOTAL	237	141	30·9	20	8	8	..	92	20·2	19

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th January, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab (I)													
Ambala	64	44	35.8	3	..	4	..	12	9.8	6
Amritsar	335	166	25.8	6	..	33	..	84	13.0	15
Batala	61	50	42.6	6	..	1	..	8	6.8	2
Bhiwani †	43	24	29.0	2	..	6	7.2	2
Ferozepore	38	28	38.3	2	..	4	..	8	10.9	1
Hissar
Hoshiarpur	50	17	17.7	1	..	1	..	5	5.2	1
Jullundur	194	112	30.0	1	8	..	17	4.6
Karnal	69	45	33.9	2	2	1	1	10	7.5	1
Ludhiana	172	122	36.9	12	..	1	..	33	10.0	6
Moga	40	29	37.7	4	..	6	7.8	3
Panipat	62	39	32.7	1	1	4	..	9	7.5	2
Pathankot	33	24	37.8	..	2	2	..	5	7.9	..
Rewari	36	22	31.8	2	..	2	..	6	8.7	4
Rohtak	102	51	26.0	1	1	..	3	1.5	1
Simla †
Sonepat.	33	20	31.5	2	..	1	..	3	4.7	2
TOTAL	1,332	793	31.0	..	2	..	31	11	69	2	215	8.4	53
Uttar Pradesh													
Agra	367	322	45.6	1	4	66	..	116	16.4	33
Allahabad	342	175	26.6	1	19	..	50	7.6	14
Amroha	60	50	43.3	..	1	..	4	3	1	..	23	19.9	4
Bahraich	46	29	32.8	3	..	2	1	11	12.4	5
Banaras	375	287	39.8	37	5	18	..	139	19.3	26
Ballia	34	9	13.8	1	..	3	4.6	1
Basti	37	2	2.8	1	1	2	2.8	1
Bareilly	201	76	19.7	7	1	17	..	34	8.8	7
Bijnor	31	15	25.2	1	1	2	..	9	15.1	2
Budaun	54	33	31.8	6	1	9	..	21	20.2	6
Banda	32	12	19.5
Bulandshahr	41	18	22.8	5	..	6	..	5	6.3	..
Chandausi	40	29	37.7	2	17	22.1	5
Dehra Dun	141	43	15.9	3	1	7	..	20	7.4	4
Etawah	63	42	34.7	8	..	12	..	26	21.5	2
Faizabad-Ayodhya	85	25	15.3	4	..	1	..	10	6.1	1
Farrukhabad-Fatehgarh	81	41	26.3	..	1	..	5	1	10	..	22	14.1	5
Ferozabad	76	32	21.9	4	..	1	..	10	6.8	1
Ghazipur	36	30	43.3	6	..	3	..	14	20.2	..
Ghaziabad	45	29	33.5	4	5	5.8	2
Gonda	34	3	4.6	2	3.1	2
Gorakhpur	137	71	26.9	6	1	8	..	27	10.2	5
Hapur	48	39	42.3	..	1	..	3	1	3	..	12	13.0	2
Hardwar	63	36	29.7	5	..	5	..	18	14.9	8
Hathras	61	38	32.4	9	..	13	1	26	22.2	6
Jaunpur	56	32	29.7	3	..	2	..	12	11.1	1
Jhansi	115	82	37.1	..	2	..	16	1	7	..	33	14.9	12
Kanpur	716	401	29.1	102	13	38	4	272	19.8	79
Kasganj	34	11	16.9	3	..	1	..	4	6.1	1
Khurja	40	13	16.9	1	..	6	..	8	10.4	2
Koll-Aligarh	148	45	15.8	5	1	7	1	19	6.7	2
Lucknow	485	267	28.6	..	5	..	11	10	46	..	121	13.0	28
Mathura	108	83	40.0	11	1	4	..	23	11.1	4
Mau-Nath Bhanjan	37	23	32.3	1	1.4	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th January, 1955—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	Deaths from :-										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Uttar Pradesh—<i>contd.</i>															
Meerut	181	120	34·5	8	..	11	..	25	7·2	4		
Mirzapur-Vindhya Chal	95	44	24·0	6	..	2	..	17	9·3	3		
Moradabad	163	110	35·1	3	4	21	..	40	12·8	8		
Muzaffarnagar	72	28	20·2	1	3	1	..	6	4·3	4		
Pilibhit	45	51	59·1	2	..	4	..	19	22·0	6		
Rampur	154	4	13·5	..	I	1	..	4	13·5	..		
Saharanpur	158	124	40·8	30	..	4	2	44	14·5	11		
Santhal	64	63	51·3	12	2	11	..	28	22·8	..		
Shahjahanpur	99	72	37·9	15	..	4	..	23	12·1	7		
Sitapur	48	25	27·1	7	..	1	..	10	10·9	1		
TOTAL	5,348	3,084	30·0	..	II	..	360	55	375	10	1,331	12·9	323		

West Bengal**"N.R."****STATES (Part B)****Jammu & Kashmir****"N.R."****Madhya Bharat**

Mandsaur	35	I	1·5	I	I	1·5	*
Ratlam†													
Greater Gwalior	267	106	20·6	8	..	2	..	16	3·1	I
Ujjain	151	32	11·0	12	2	32	11·0	..
Indore	357	186	27·1	9	4	12	..	64	9·3	17
TOTAL	810	325	20·9	30	6	14	..	113	7·3	18

Mysore State

Bangalore City	936	676	37·6	4	30	42	..	207	11·5	..
Davidanagar†													
Kolar Gold Fields	170	127	38·8	2	7	5	..	33	10·1	..
Mysore City	285	101	18·4	I	4	9	..	38	6·9	..
TOTAL	1,391	904	33·8	7	41	56	..	278	10·4	..

PEPSU

Patiala City	108	33	15·9	I	I	10	..	25	12·0	10
Malerkotla	34	16	24·5	5	..	7	..	17	26·0	6
Bhatinda	38	16	21·9	..	I	..	2	..	I	..	4	5·5	I
TOTAL	180	65	18·8	..	I	..	8	I	18	..	46	13·3	17

Rajasthan

Alwar†	38	4	5·4	2	4	5·5	2
Bharatpur													
Bikaner	117	36	16·0	4	2	13	..	23	10·2	2
Churu	46			
Ganganagar	45	6	6·9	3	5·8	I
Tonk	45	4	4·6	3	5	5·8	..
Sikar	49	3	3·2	I	2	2·1	I
Jaipur†													
Udaipur†													
Jodhpur	196	47	12·5	..	I4	..	16	9	8	I	59	15·7	6
Kotah	71	7	5·1	6	..	I	..	12	8·8	..
TOTAL	607	107	9·2	..	I4	..	32	11	25	I	110	9·4	12

Saurashtra**"N.R."****Travancore-Cochin****"N.R."**

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. — Nil information; "N.R." — Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 15th January, 1955—concl'd.

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURNS													
West Bengal													
Asansol†													
Baidyabati	33	9	14·2	1	1·2
Bally	65	7	5·6	1	..	3	2·4
Bankura	49	10	10·6	2	2·1
Bansberia†									
Baranagar	87	30	17·9	—	..	2	4	1	..
Basirhat	39	13	17·3	1	..	3	4·0
Berhampur	62	53	4·5	1	4	1	17·6
Bhadreshwar	34	8	12·2	3	..	4	6·1
Bhatpara	141	23	12·2	9	..	11	..
Budge-Budge	32	5	8·1	1	2	3	..
Burdwan	81	23	14·8	2	..	2	7·7
Calcutta	2,931	1,228	21·8	1	4	44	62	204	5
Champdani	40	20	26·0	1	3·9
Cooch-Behar†									
Darjeeling†									
English-Bazar	35	21	31·3
Garden-Reach	121	16	6·9	3	1	1	4·7
Halisahar	40	7	9·1	3
Hoogly-Chinsura	60	80	69·5	1	2	6·2
Howrah	471	246	27·2	3	18	54	1
Jalpaiguri†									
Kamarhati†									
Kanchrapara	71	10	7·3	1	2
Krishnagar	55	2	1·9	1	1
Midnapore	44	27	32·0	1	2	..	9·7
Nabadwip	67	22	17·1	2	..	8	..	1	12·4
Naihati	61	6	5·1	1	..	4
North Barrackpore	36	2	2·9	2·9
Panihati	62	5	4·2	1·8
Shantipur	48	19	20·6	3
Scrampore	82	40	25·4	3	2	2	10·8
Siliguri	42	—	1	—	..	2·5
South Dum-Dum	79	8	5·3	1·0·7
South Suburban†	76	24	16·5	6	..	2	1
Titagarh									2
TOTAL	.	5,544	1,974	18·5	3	4	..	89	96	290	8	1,063	10·0
													316

Travancore-Cochin

For w/e 8-1-55

Alleppey	.	.	.	142	67	24·5	1	..	2	..	13	4·8	2
Changanacherry	.	.	.	40	27	5·1	1	3	3·9	..
Ernakulum	.	.	.	69	30	22·6	2	1	2	..	17	12·8	..
Kotayam†	.	.	.												
Mattancherri	.	.	.	83	36	22·5	2	2	1	..	14	8·8	4
Nagercoil	.	.	.	91	34	19·4	2	..	4	..	11	6·3	..
Quilon†	.	.	.												
Trichur	.	.	.	75	44	30·5	5	14	9·7	..
Trivandrum City.	.	.	.	213	114	27·8	2	3	1	..	23	5·6	2
TOTAL	.	713	352	25·7	15	6	10	95	6·9	8

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Diarrhoea and Dysentery ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 15th January, 1955, relate to 158 towns with an estimated population of 18,952 thousands. The total number of towns is 300 and their population is 38,987 thousands. Thus 53% of the total number of towns representing 49% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 10,346 and 4,605 representing birth and death rates of 28.4 and 12.6 per thousand of population, respectively.

(A) States (Parts A & C).—The data here relate to 140 towns with an estimated population of 15,964 thousands. Information about Ajmer, Bhopal, Bihar, Bombay and West Bengal could not be included. The total number of towns is 252 and their population is 32,571 thousands. Thus 56% of the total number of towns representing 49% of the total population is covered. The number of births and deaths

recorded in these towns were 8,945 and 4,058 representing birth rates and death rates of 29.1 and 13.2 per thousand of population, respectively. The table at the end gives the position by States. No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 18 towns with an estimated population of 2,988 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 38% of the total number of towns representing 47% of the total population is covered. The number of births and deaths recorded in these towns were 1,401 and 547 representing birth and death rates of 24.4 and 9.5 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 15-1-55		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	24.9	11.9	20.6	10.3	†	†
Delhi . . .	30.1	9.2	32.1	10.4	34.9	12.0
Madhya Pradesh . .	20.5	8.6	19.5	12.6	28.9	16.6
Madras . . .	30.5	17.0	27.5	18.3	†	†
Orissa . . .	30.9	20.2	47.7	17.9	41.9	23.9
Punjab (I)	31.0	8.4	34.7	7.6	32.4	13.1
Uttar Pradesh . .	30.0	12.9	30.2	14.8	32.6	17.5
India (only States Parts A and C).	29.1	13.2	28.6	12.5	32.4	16.6

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 7th February, 1955. }

K. MITRA,
for Registrar General, India.

